

Cam Facilities and Services Audit

1. Parish plan responses:

Question in parish plan questionnaire (include question number)	Responses (% , comments etc)	Conclusions/commentary
Q9:A good range of local shops- importance Q10: rating local shops Q 47 infrastructure to support new housing	59% essential; 34% quite important; 2% not very important; 9% v good; 32% good; 43% reasonable; 13% poor; % v poor 49% shops	Attracting a good range of local shops is important to Cam respondents. – certainly no loss of shops- maybe expansion of retail centre to be considered
Q9 A good range of local sports facilities Q10 Rating Q 47 infrastructure to support new housing	26% essential; 42% quite important; 22% not very important; 3% not needed 10% v good; 40% good; 30% reasonable; 5% poor; 0% v poor 34% sports facilities	Need to find out detail about which aspects are required. Support for retention
Q9 Children’s play facilities- importance Q10: rating	39 % essential;42% quite important; 8% not very important; 5% not needed 3% v good; 24% good; 38% reasonable; 9% poor; 0% v poor	Retention is essential – some improvements needed
Q9 Parks and open spaces- importance Q10: rating	53% essential;39% quite important; 3% not very important; 1% not needed 9% v good; 32% good; 44% reasonable; 8% poor; 0% v poor	Of importance- local green spaces to be identified and local green spaces designated
Q 47 Allotments- infrastructure to support new housing	24% allotments	Some interest in allotments - need to ascertain present capacity and waiting list to see if land needs to be made available
Q9 Good range of community buildings – importance Q10: rating	21% essential; 52% quite important;15% not very important; 5% not needed 6% v good;22 % good; 47% reasonable;11 % poor;1 % v poor	Important and some improvements needed – explore what improvements are needed
Q24 Additional community and sports facilities needed - comments Q 47 infrastructure to support new housing	Comments not available for Cam (to follow) 47% community facilities	
Q9 Access to health facilities -importance Q10- Rating	77% essential;20% quite important; 1% not very important; 0% not needed 22% v good; 45% good; 26% reasonable; 2% poor; 1% v poor	Retention is important. Changes in hospital services since the survey

Cam Facilities and Services Audit

Q 47 infrastructure needed to support any significant housing	49% health facilities	
Q43 rating local dentist	37% v good;34 % good: 8% reasonable; 2% poor	
Q43 rating local GP surgery	53% v good; 30% good: 10% reasonable; 1% poor	
Q43 rating out of hours GP services	10% v good; 18% good: 15% reasonable; 15% poor	Service rather than land use implications
Q43 rating local opticians	23% v good; 28% good: 15% reasonable; 5% poor	
Q43 rating local A+E	17% v good; 21% good: 12% reasonable; 10% poor	
Q43 rating local maternity services	5% v good; 11% good: 7% reasonable; 2% poor	
Q43 rating mental health support services	2% v good; 7% good: 10% reasonable; 4% poor	
Q43 rating dementia support	1% v good; 5% good: 6% reasonable; 5% poor	
Q43 rating support for people with disabilities	2% v good; 4% good: 14% reasonable; 7% poor	
Q9 Facilities and services for older people – importance Q10: rating Q 43 rating- support for the elderly	55% essential;36% quite important; 5% not very important; 2% not needed 1% v good; 12% good; 39% reasonable; 11% poor; 1% v poor 1% v good; 9% good: 20% reasonable; 9% poor	Need to explore what improvements people want to see/ need
Q9 Local library facilities- importance Q10: rating	40% essential;41% quite important; 12% not very important; 2% not needed 18% v good; 43% good;27 % reasonable;3 % poor;0 % v poor	Library is in Dursley
Q9 facilities and services for young people –importance Q10: rating –services YP	47% essential; 40% quite important; 5% not very important; 3% not needed 1% v good;5 % good; 26% reasonable;28 % poor;3 % v poor	Facilities felt to be important. Improvements need to be investigated
Q9 Facilities and services for children and families –importance Q10: rating	42% essential;43% quite important; 7% not very important; 4% not needed 1% v good;14 % good; 29% reasonable; 12% poor; 1% v poor	
Q 18 rating- nursery schools	11% v good; 20% good; 10% reasonable; 0% poor;0 % v poor	
Q18 Rating- Pre-school clubs	11% v good; 18% good; 7% reasonable; 1% poor;0 % v poor	
Q18 Rating- Primary Schools	24% v good; 26% good; 7% reasonable; 0% poor; 0% v poor	
Q18- Rating – Secondary Schools	23% v good; 22% good; 9% reasonable; 2% poor; 1% v poor	

Cam Facilities and Services Audit

Q 18 Rating- After school clubs	8% v good; 13% good; 13% reasonable; 1 % poor; 1% v poor	
Q 18 Rating- Sure Start Children's Centre	4% v good; 9 % good; 8% reasonable; 3% poor; 0 % v poor	
Q18 Rating- Local citizen's advice	2% v good; 12% good; 11% reasonable; 9% poor; 2% v poor	Highest proportion of 'poor' response to this section- not really land use
Q18 Rating Local credit union	1% v good; 3% good; 3 % reasonable; 3% poor; 1% v poor	
Q18 Rating Community use of school facilities	3% v good; 13% good; 16% reasonable; 7% poor; 1% v poor	2 nd highest proportion of 'poor' response to this section- could have land use implications
Q 47 infrastructure needed to support any significant housing	60% schools	
Q9 Good broadband speed Rating Q22- Like to see area connected to fibre optic cable Use of broadband	47% essential; 34% quite important; 8% not very important; 2% not needed 3% v good; 20% good; 36% reasonable; 18% poor; 7% v poor 66% yes; 9% no; 20% don't know 84% Email: 40% access work emails from home; 42% listen to radio/TV/films; 43% digital photos; 74% goods online; 55% pay bills; 56% local authority services; 645 online research	Since survey Openreach have been rolled out fibre to cabinet in 2013, giving much better speeds for most of the residents but are still in the process of making it available to all.

Cam Facilities and Services Audit

3. Community facilities and services audit:

Type of facility/service	Name of facility/service and location	Key facts	Future capacity potential	Notes	Key Message
Health - Doctors Surgery	Orchard Medical Centre	<p>At time of Stroud Plan:</p> <ul style="list-style-type: none"> • 6 GP's • Patient List Size 7,161 • Average Patient Size per GP 1194 <p>As of 4th June:</p> <ul style="list-style-type: none"> • 10 GP's (9 part-time and 1 full time) • Registered Patient approx 7000 	The Orchard Medical practice is already at capacity and will expand to current facility to accommodate additional demand for the next 5 to 10 years subject to NSH funding priorities.		
Health – Dentists	Cam Dental Surgery	<ul style="list-style-type: none"> • NHS dental practice. • 2 Dentists 		No response in request for information.	
Meeting Halls	GL11	<ul style="list-style-type: none"> • Wide range of rooms for hire, seating up to 40 people. • Accredited and non-accredited training in recreational and vocational subjects. • Crèche, mother and baby and toddler groups. • Youth Groups. • Community Development • Community Lunches • Social opportunities. 		Email received from	
Meeting Hall	Cam Parish Council Offices	<p>2 meetings rooms:</p> <ul style="list-style-type: none"> • large room approx 6m x 4m (carpeted). The hall is fully equipped with projector, internet access and seating for approx 30 persons. The building is 		Information obtained from CPC website: Can be booked via Cam Parish Council Offices. Hire cost £20 per session (Morning,	

Cam Facilities and Services Audit

		<p>equipped with a hearing loop and a ventilation system.</p> <ul style="list-style-type: none"> • small room for up to 6. 		<p>afternoon or evening). Hire cost of £10 per session.</p>	
Meeting Hall	Cam Memorial Hall	<ul style="list-style-type: none"> • Hall capacity of 100. • 3 meetings rooms. • A large hall ideal for dancing, augmented by two smaller meeting rooms and a well fitted kitchen. 		<p>Information obtained from CPC website: Can be booked via Cam Parish Council Offices.</p>	
Meeting Hall	Cam Youth and Community Centre	<ul style="list-style-type: none"> • Hall capacity of 100 • 2 meeting rooms. 			
		18 secondary school places required for every 100 qualifying homes.		Gloucestershire SIDP 2010	
Secondary School	Peak Academy and Greenfield Academy	Academy Special Sponsor Led school for pupils aged 11 to 16. Max capacity 55, current capacity 60.		<p>This is normally a boys school but is currently mixed gender with the temporary amalgamation of Greenfield Academy. Greenfield will eventually move to the Cheltenham/Gloucester area when the new school is complete.</p>	
Secondary School	Rednock	<p>This school is actually based in Dursley but shared with Cam. Max capacity 1450 pupils aged 11 to 18</p>	<p>As the population grows, the plan is that Katherine Lady Berkeley School will accommodate the overflow Rednock. The overall housing growth from the Stroud Plan will require a new secondary</p>	<p>Information obtained from Gloucestershire County Council.</p> <p>From Stroud Plan.</p>	

Cam Facilities and Services Audit

			school to be built; site to be determined.		
		25 primary school places required for every 100 qualifying homes.	Gloucestershire SIDP 2010		
Elementary School	Cam Hopton			No response in request for information	
Elementary School	Cam Everlands	Max capacity 210 pupils. Current capacity 205 (academic year 2013-2014)	With some investment, could become a two form entry school with 420 pupils.	Car parking for drop off and pick up could become a problem with this double size school. This site is a possible location to meet the needs of Dursley rather than Cam.	
Elementary School	Cam Woodfield			No response in request for information	
Railway Station	Cam & Dursley Railway Station	Car Park capacity 105 including 6 disabled spaces.	An additional 17 spaces will be made available in September 2014. Additional funding would allow room for another 20 spaces. Total site capacity 142 (estimate).	Veolia paid to maintain site 4 times a year.	
Church	St Bartholomews	No room available (recently sold off)		No response in request for information	
Church	St Georges			No response in request for information	
Church	3C Community Church			No response in request for information	
Church	Cam Methodist	Meeting hall with kitchen facility for approx. 50 persons		No response in request for information	
Church	One Church			No response in request for information	

Cam Facilities and Services Audit

Kingdom Hall	Jehovahs Witnesses			Did not contact; moved to Cam several months after requests were sent out.	
Police Station	Sandpits	There are no plans to close this site.		Walk in facilities were lost in 2012/3 but somebody will be available from pressing outside bell button.	
Allotments	Cam Parish Council	5 sites (Hocker Hill, Westend, Woodfields, and 2 at Ashmead) with a total of 97 plots available via Council offices.	More lands available for expansion should the need arise.	From CPC website	
Allotments	Sundeala	About 20 plots available.		If interested contact, Works Manager, at Sundeala in writing.	WAITING LIST.

4. Infrastructure:

Infrastructure	Providers and contact details	Notes about provision (community perspective)	Comments made by providers about the service (current capacity. If new development, changes needed to the infrastructure system to accommodate/ potential problems foreseen).
Water	Severn Trent	Water pressure varies due to hilly	

Cam Facilities and Services Audit

		conditions.	
Drainage	Gloucestershire County Council		<p>From Stroud Plan:</p> <ul style="list-style-type: none"> • SFRA Level 2 Conclusions: Sites 150 and 151 in Flood Zone 1 but marginally affected by Flood Zones 2, 3a and 3b. Development in flood risk areas considered to avoidable through Master planning process. • Planned Infrastructure Projects: There is little anecdotal evidence of flooding in Cam, but surface water mapping predicts a significant flood risk due to surface runoff. An investigation is planned for 2014/15 to confirm flood risk in the area and identify suitable mitigation measures. • Comment: There is committed development for around 12ha of employment land adjacent to the strategic location. It is expected that an integrated flood risk management and drainage strategy would be devised for the employment and proposed residential development. • Developer flood risk management and financial contributions (S106/CIL) - Typically, where new development takes place, the onus falls upon the developer to demonstrate that flood risk to the site is appropriately managed and that flood risk is not increased elsewhere (NPPF para. 103). This can involve the delivery of on-site flood risk management measures and/or contributions to off-site flood risk management infrastructure through S106 Planning Obligations or a Community Infrastructure Levy.
Sewage	Severn Trent	Localized issues.	<p>From Stroud Plan:</p> <ul style="list-style-type: none"> • Capacity – Proposed site located within Coaley Sewage Treatment Works catchment. Comparison of current measured dry weather flow against the consented dry weather flow and current quality performance assessments indicate there is no spare capacity at this treatment works. Additional capacity will be required in order to accommodate

Cam Facilities and Services Audit

			<p>future development.</p> <ul style="list-style-type: none"> • STW do not envisage any issues as there are no land or other physical constraints preventing expansion. • The proposed 450 home site is immediately upstream of the sewage treatment works and is crossed by outfalls sewers from Cam/Upthorpe. • Subject to hydraulic modelling no capacity issues are envisaged in the area provided surface water is not connected to the foul sewers. Should hydraulic modelling indicate that additional capacity is required then this is not expected to be significant due to the close proximity to the sewage treatment works.
Electricity	Western Power Distribution		From Stroud Plan : The anticipated demand requirement for this 450 home site is 1.5MVA. The primary substation (Dursley PSS) adjacent to the proposed site currently has ample capacity to accommodate the proposed development. This development will probably necessitate two new 11kV circuits from Dursley PSS, along with associated 11kV infrastructure and 3 or 4 ground based sub-stations.
Gas	Wales and West Utilities		Further more detailed information is required to judge capacity or whether reinforcements to infrastructure will be necessary.
Broadband	Openreach	Fibre infrastructure installed in 2013 but not been made available to all homes yet.	Email from Openreach - Willing to provide £3400 per plot to the builder to run fibre direct to new build premises (over 25 plots). X
Flooding	Environment Agency	Have not contacted	

Cam Facilities and Services Audit

References:

Information in Section 1 obtained from 'Cam and Dursley Community Plan Survey – Count and Percentages for Cam' only document dated ? from survey carried out ? (an 8 page document).

Information in Section 2 obtained from page 39 of the following document, 'Rural Community Profile for Cam (Parish)' by Action with Communities in Rural England (ACRE) Rural Evidence Project, dated October 2013 (A 52 page document).

Information in Section 3 and 4 was obtained from websites, sites visits, telephone calls, and email responses. Attached :

- Contact List (2 pages)
- Typical letter of request (1 page)
- Responses
 - Letter from Orchard Medical Centre (1 page)
 - Email from BT
 - Email from Everlands School (2 pages)
 - Email from GL11 (2 pages)
 - Email from Gloucestershire County Council (1 page) – Train Station
- Site Visit (2 pages)

Contact List

Schools	
Rednock School Kingshill Rd, Dursley, GL11 4BY 543618 admin@rednock.gloucs.sch.uk David Alexandra	Cam Everlands Primary School Birch Road Cam GL11 5SF 545452 admin@cameverlands.gloucs.sch.uk Mr C Jones
Woodfields School Elstub Lane GL11 6JJ 542706 admin@camwoodfield-jun.gloucs.sch.uk Mrs J Cowley – Headteacher	Cam Hopton Church of England Primary School Hopton Road Upper Cam GL11 5PA 542763 admin@camhopton.gloucs.sch.uk Melanie Skidmore
The Peak Academy Drake Lane Cam GL11 5HD 542130 Mr J Donnelly info@peakacademy.org Children aged 11 to 16	
Medical / Dentist	
The Orchard Medical Centre, Fairmead, Cam, GL11 5NE 01453 548666 Dr Graham Cole	Cam Dental Surgery 3 Chapel St Cam GL11 5NX 542993
Places of Worship	
St Bartholomews Church 542679 The Reverend Ian Robb ia_jdr@lineone.net	Methodist Church 542565 Rev John Emmett
St Georges 542084 Rev Jennifer McKenzie	www.3communitychurch.org 54673
One Church Cam	Kingdom Hall of Jehovahs Witnesses
Services	
Railway Station Gloucestershire County Council 01452 425000 Jonathon Roberts	Electricity Western Power Distribution
BT Openreach New Sites PP CTE3b Bristol CTE Marsh Street Bristol BS1 4BH	Sewage Coaley Sewage Works Cam GL11 5DW 07766776139 Paul.walters@severntrent.co.uk

	Paul Walters – Area Manager
Gas Wales and West Utilities 08701650597	Schools Gloucestershire County Council 01452 425000 Moira Pratt
Local MP Neil Carmichael 01453 751572	GL11 Julie Burlow – Community Builder julieburlow@gl11.org.uk
Stroud District Council 01453 754328 Conrad Moore – Strategy Giddian Darley – Economic Regen Officer	

Typical Letter

18th May 2014

Glos

Tel:

Email:

Hello, my name is Mark G Holdsworth and I'm the Facilities and Services Lead for the Cam Neighbourhood Development Plan Steering Committee.

FYI: At present there are about an additional 650 homes for Cam and 730 homes for Dursley either proposed or agreed to be built. We are taking an audit of what's available in the area, what's going to be required with this many new homes and what the residents would require.

We regard your church as a community asset and would like to include it within our report which will be published and made available to the public.

As such would you please provide data what your church offers the public:

- Capacity for sermons
- What other activities that the church offers that may be of interest to the public i.e youth workshops, meals, counselling, meeting halls, etc. Please include maximum number allowed for each event (if applicable).

I have attached an illustrative example which may help. You can amend the form as needed. An electronic return is very much appreciated.

We are on a tight timeline and would appreciate the information as soon as possible.

If you require further information please do not hesitate to contact me. Or if you would like to join the NDP team, please contact Cam Parish Council for more information.

Best Regards

Mark



The Orchard Medical Centre
Fairmead
Cam
Glos
GL11 5NE
Tel: 01453 548666
Fax: 01453 548124

4th June 2014

Mr Mark Holdsworth
6 The Delkin
Cam
Dursley
Glos
GL11 5PZ

Dear Mr Holdsworth

Thank you very much for your letter of 16th May 2014. As a practice and partnership we are acutely aware of the planned development for houses in the Cam and Dursley area and have been in significant discussions with our area team (formerly Gloucestershire Primary Care Trust) regarding our need to develop capacity to meet this additional population and level of health care need.

Currently there are ten doctors attached to the Practice, however only one of them is full time (Dr Stephen Alvis, the senior partner).

The combined list size of the Cam and Uley Family Practice (our two practices merged in April 2014 to form this new partnership) is approximately 10,200.

Approximately 7,000 patients are registered with the Orchard Medical Centre base and 3,200 are registered with the Uley Surgery base.

We have already advised the area team that we are at full capacity and are in discussion with them and are pressing for financial support to extend our premises to meet the increasing population, both that which is immediately planned and for at least the next five to ten years.

Unfortunately due to limitations and restrictions on NHS funding, to date despite the recognition by the area team that we are a "priority case" there has been no health service funding forthcoming.

We would not seek to build new premises, however we are seeking to extend and develop the Orchard Medical Centre base in Cam.

I trust this information is of help to you, it might be helpful if you require more information that you contact me direct by telephone through the surgery.

Kind regards

Dr Graham Cole

Partners: Dr S Alvis, Dr G J Cole, Dr N E Fletcher, Dr M J McDowell, Dr S P Rix, Dr J Steel

Associates: Dr F James, Dr E Wills,

Retainers: Dr M Edgar, Dr E Le Roux

Also practicing at: 42 The Street, Uley, Glos. GL11 5SY Tel: 01453 860459 Fax: 01453 860972

Website: www.cam-and-uley.nhs.uk



Mark Holdsworth <markuk2006@gmail.com>

Box Road Cam Housing Development

To: markuk2006@gmail.com

<richard.moulton@openreach.co.uk>

27 March 2014 14:38

Dear Mark,

If you here looking at feeding the site fibre to premise I could pass your request to a sales specialist who could arrange a contract for a fibre site. This require you sending in plans asking for fibre and I will get someone to look at this.

The plan in the future is to feed all site over 25 plots as fibre to premise but this keeps getting put back.

Openreach has an universal obligation to provide service and will contribute £3400 per plot for any network reinforcement.

Regards

Richard

Richard Moulton

Openreach Newsites PST Reception

Pp:CTE3B, Bristol CTE, Marsh Street, Bristol, BS1 3BH

Telephone: 0800 141 2675

Fax: 0800 731 6924

Web: www.openreach.co.uk/newsite

Openreach installs, services, supports and maintains the wiring, fibres and connections which link tens of millions of homes and businesses in Britain to their Communications Providers' networks.

Think before you print! Consider the environment before printing this e-mail.

Fact sheet:

Excess Construction Charges

Excess Construction Charges (ECCs) cover the additional costs of either providing additional service or dealing with situations where the actual cost of providing service is in excess of that listed within the Openreach price list.

Where are ECCs typically applied?

When service and extra infrastructure is required or Line Plant Rearrangement is requested, an Openreach planner will conduct a survey to estimate the likely ECCs.

ECCs are often raised where additional infrastructure is required to:

- Provide new or extended service at a customer's site, or at another requested location where we would not otherwise choose to extend our network based on our normal commercial criteria
- Provide a new installation at an existing customer site
- Increase capacity at an existing site.

The following are examples of specific activities that can generate ECCs:

ECCs can apply to provision and rearrangement orders for Ethernet and Copper services

- Blown fibre and blown fibre tubing
- Provision of a new footway box on an existing duct route to connect to the BT network
- Provision of other building entry points (e.g. underground through floors)
- Fibre cable installed into duct, buried or installed on poles, including required jointing
- New duct work (including jointing boxes and any wayleave costs)
- Directly buried armour cable (in addition to cable charges)
- Breaking/drilling through a wall
- Trunking and traywork within the customer's curtilage
- Provision of telegraph poles

Exemptions

- Where service is provided in accordance with the Universal Service Obligation (USO), the initial £3,400 of ECCs will not be raised against the first narrowband voice order
- For each Ethernet Access Direct (EAD) order (excluding RO1 product variants) a Fixed Fee ECC charge of £548 is incorporated in the connection price, funding an exemption on the first £2,800 of ECCs.
- Other exemptions may apply in other scenarios – see the Openreach price list for details.



Mark Holdsworth <markuk2006@gmail.com>

**RE: FAO Mr C Jones - Facilities and Services Lead for the Cam
Neighbourhood Development Plan Steering Committee**

1 message

Craig Jones <head@cameverlands.gloucs.sch.uk>
To: markuk2006@gmail.com

20 May 2014 09:34

Please see comments below:

@mistercmj

head@cameverlands.gloucs.sch.uk

From: Cam Everlands Primary School [mailto:admin@cameverlands.gloucs.sch.uk]
Sent: 19 May 2014 13:31
To: Craig Jones
Subject: FW: FAO Mr C Jones

From:]
Sent: 15 May 2014 17:33
To: uk
Subject: FAO Mr C Jones

many new homes and what the residents would require. This data will be published and made available to the public.

- what capacity you are at now? 210 is the ideal capacity. At present we are down to 205.
- what is the maximum capacity for your the school as it stands at present? We are particularly low, as most schools are in the current reception year.
- We have space on the school site to expand. This site, in my personal view, could be two form entry school (420) if funds were forthcoming.

We are on a tight timeline and would appreciate the information as soon as possible.

If you require further information please do not hesitate to contact me. Or if you would like to join the NDP team, please contact Cam Parish Council for more information.

Best Regards

Mark



Mark Holdsworth <markuk2006@gmail.com>

GL11

1 message

Indigo Redfern <indigoredfern@gl11.org.uk>
To: "markuk2006@gmail.com" <markuk2006@gmail.com>

22 May 2014 19:15

Julie, our Community Builder has forwarded you request for info re GL11 on to me.

- Accredited and non accredited training in recreational and vocational subjects
- Volunteering opportunities
- Social opportunities
-
- Creche, mother and baby and toddler groups
- Youth groups
- Signposting
- Community development
- Community lunches
- Room hire to partner organisations

Full details are available on our website.

We have a range of rooms available for hire, seating up to 40 people.

Do get in touch if you need further information,

Project Manager

GL11 Community Project

Fairmead

Cam

Dursley

Glos

GL11 5JS

Website:

Phone: 01453 548530 or 01453 298497

Email: indigoredfern@gl11.org.uk



Mark Holdsworth <markuk2006@gmail.com>

Cam & Dursley - Update

ROBERTS, Jonathan <Jonathan.ROBERTS@gloucestershire.gov.uk>
To: "markuk2006@gmail.com" <markuk2006@gmail.com>

25 February 2014 10:46

Good morning Mark,

The only thing I can tell you at the moment is that a budget has been sourced to carry out car park expansion at Cam & Dursley and our best chance is to use the enclosed fenced area previously used by Network Rail.

Policy dictates that these works are first approved via a planning application as what I'm proposing apparently constitutes a change of land use. I've done what I can up until now with the contractor I use for bus stops and minor works however given the amount of considerations that need to be made as part of a planning application it looks almost certain that I will have to use the Council's contracted Highways Contractor Skanska to see this through to completion.

Skanska are not taking over from Atkins until 1st April but if they're leading on these works, they have all the means available to submit technical drawings and address all concerns about drainage and environmental impact etc. I'm also hoping that they will be more reliable when it comes to requested start and completion dates. On the same task order raised to Skanska, I also intend to ask them to look at possible expansion into other parts of the car park although works themselves will be reliant on funding.

-Skanska-take-over-from-Atkins-as-our-existing-

highways-partner

Regards,

Jonathan Roberts
Passenger Transport & Projects Officer
Gloucestershire County Council
Integrated Transport Unit
Shire Hall
Gloucester,
GL1 2TH
Tel: 01452 425628
Fax: 01452 425995

Site Visit Report

Site	:	Cam and Dursley Railway Station
Date	:	30 th January 2014
Total number of car park spaces	:	105
Number of Disabled Spaces	:	8 (none in use)
Number of car park spaces (excluding disabled)	:	97 – all being used except for 2, due to bushes needing to be cut back.
Number of cars parked illegally (with car park)	:	6
Number of cars parked on Box Road	:	8 cars of which 3 seemed to belong to the home owners

Notes :

1. It was observed that if some the trees and flower beds were cut back that an additional 20 spaces could be made available.
2. There is an area behind some gates (on the left hand side as you enter the car park) that could be utilised for more car park spaces.
3. Number of illegals and cars on Box Road was less than expected but am reliably informed by residents and Severn Trent that at certain times, say Xmas shopping, Box Road is totally full and that they even park in the lane leading to the Sewage Treatment Works blocking the road for the sewage trucks (which could be problematic in times of sewage emergencies).

Site Visit Report

Site	:	Cam and Dursley Railway Station
Date	:	28 th July 2014
Total number of car park spaces	:	105
Number of Disabled Spaces	:	8 (1 in use)
Number of car park spaces (excluding disabled)	:	97 – all being used except for 2, due to bushes needing to be cut back.
Number of cars parked illegally (with car park)	:	6
Number of cars parked on Box Road	:	8 cars

Notes :

1. It was observed that if some the trees and flower beds were cut back that an additional 20 spaces could be made available.
2. There is an area behind some gates (on the left hand side as you enter the car park) that could be utilised for more car park spaces.
3. Bush growth was very bad but assumed not cut back due to bird nesting season.
4. Shrub planting scheme needs reviewing as present shrubs require too much maintenance.
5. These results are almost identical to first visit in January.